





BC13 SOLAR BOLLARD LIGHT



Utilizes high-output LED technology.



IES lighting distribution data available.

This professional, commercial grade, solar powered bollard light can be quickly and easily installed almost anywhere and is perfect for general amenity lighting applications. Ideal for walkways, trails, parking lots, public areas, sidewalks, driveways, etc. This LED bollard is made with an all aluminum body and a clear polycarbonate lamp shade. Light output is provided by twelve, high intensity, white colored LED's within the circular lens section. In a dark location, this fixture is capable of projecting light outwards and downwards for several feet (360 degrees) all around. Available in a choice of two sizes: small (33" tall), or large (41" tall).



*SUBJECT TO OUR TERMS & CONDITIONS, AND RETURNS POLICY

Worldwide*
Shipping ✓

Lowest Price*
Guarantee ✓

Lifetime*
Tech Support ✓

24 Month*
Product Warranty ✓

No Hassle*
Returns ✓

9120 Centerlinks Commerce Drive • Unit 3 • Fort Myers • FL • 33912 • USA • Phone: 239-461-5522

MONDAY - FRIDAY 8:00AM - 8:00PM (US EASTERN TIME)

www.solarilluminations.com • sales@solarilluminations.com



BC13 SOLAR BOLLARD LIGHT



PERFORMANCE

- Typically illuminates from dusk to dawn or up to 12 hours (subject to location and other factors).
- Automatically turns on at dusk and off at dawn.
- All aluminum body, satin black powder coated finish.
- Other colors available via large quantity orders only (white, brown, rust, or green).
- Illumination pattern is 360 degrees with light projected outwards and downwards towards the ground.
- The small bollard is approx. 33" (84 cm) high.
- The large bollard is approx. 41" (104 cm) high.
- Main body is approx. 6" (15 cm) diameter.
- The clear, polycarbonate lampshade section is approx. 7" (18 cm) diameter and 8" (20 cm) high.
- The top / solar panel section of the bollard is approx. 9" (23 cm) diameter.
- The base (flange) section is approximately 8.5" (21.5 cm) diameter.
- The base has four pre-drilled holes for installation onto a solid surface.
- Set of four anchor bolts and template included.
-

LUMINAIRE

- Twelve super bright, high output white colored LED bulbs.
- 1.5W LED power.
- Light output is 200 lumens
- 5,500k LED color temperature (daylight white)
- Light output is equal to about 20-25 watts of incandescent lighting.

BATTERY

- 3.7V 2,400mAh lithium battery is pre-installed.
- Battery is replaceable when needed.

SOLAR PANEL

- High quality 2.5W solar panel.
- The solar panel is built into the top of the bollard fixture.



Worldwide*
Shipping ✓

Lowest Price*
Guarantee ✓

Lifetime*
Tech Support ✓

24 Month*
Product Warranty ✓

No Hassle*
Returns ✓

9120 Centerlinks Commerce Drive • Unit 3 • Fort Myers • FL • 33912 • USA • Phone: 239-461-5522

MONDAY - FRIDAY 8:00AM - 8:00PM (US EASTERN TIME)

www.solarilluminations.com • sales@solarilluminations.com

*SUBJECT TO OUR TERMS & CONDITIONS, AND RETURNS POLICY



INSTALLATION EXAMPLES



*SUBJECT TO OUR TERMS & CONDITIONS, AND RETURNS POLICY

Worldwide*
Shipping

Lowest Price*
Guarantee

Lifetime*
Tech Support

24 Month*
Product Warranty

No Hassle*
Returns

9120 Centerlinks Commerce Drive • Unit 3 • Fort Myers • FL • 33912 • USA • Phone: 239-461-5522

MONDAY - FRIDAY 8:00AM - 8:00PM (US EASTERN TIME)

www.solarilluminations.com • sales@solarilluminations.com