



# SL29

SL29 Solar 20W/30W/40W  
(Supplied With 10', 15', or 20' Pole)



Asymmetric optical technology allows light to be directed forwards.



IES and lighting distribution data available for 20W, 30W, and 40W Models.



Utilizes super-efficient high-output SMD LED technology.



Complete 3D lighting renderings available for your application.

This compact all-in-one area light is offered with a 20 Watt, 30 Watt, or 40 Watt LED array along with your choice of a 10', 15' or 20' pole. The lamp will automatically illuminate at sunset at 33% brightness and will switch to full power when motion is detected. The light will revert to "dim" mode until motion is detected again. The lamp is fitted with a solar panel mounted discretely to the top of the unit. The underside of the lamp is fitted with LED modules and a motion sensor.



\*SUBJECT TO OUR TERMS & CONDITIONS, AND RETURNS POLICY

Worldwide\*  
Shipping ✓

Low Price\*  
Guarantee ✓

Lifetime\*  
Tech Support ✓


1 Year\*  
Product Warranty ✓

No Hassle\*  
Returns ✓

5611 Halifax Avenue • Fort Myers • FL • 33912 • USA • Phone: 239-461-5522 • Fax: 239-337-7887

MONDAY - FRIDAY 8.00AM - 5.00PM (US EASTERN TIME)

www.solarilluminations.com • sales@solarilluminations.com



# SL29

## SL29 Solar 20W/30W/40W (Supplied With 10', 15', or 20' Pole)



### LUMINAIRE

- At full power the 20W lamp emits 2600 lm, 30W emits 3900 lm, and the 40W emits 5200 lm
- 6000-6500K LED color temperature
- Aluminum and glass construction
- IP65 rating
- Di mensions: 45" x 13" x 2" (115cm x 33cm x 5cm)

### SOLAR PANEL

- 20W model is supplied with a 50 Watt solar panel
- 30W and 40W model is supplied with a 60 Watt solar panel
- Glass covered solar panel is built in to the top of the lamp

### POLE

- 10' (3m), 15' (4.5m) or 20' (6m) galvanized steel pole
- 10' and 15' pole available in matt black or gray
- 20' pole is supplied in a satin gray finish
- 10' and 15' pole is fitted with a 10" x 10" base plate
- 20' pole is fitted with a 12." x 12.5" base plate
- Pole is supplied with necessary anchor kit

### BATTERY

- Lithium battery pack installed within unit
- Battery is replaceable

### CHARGE CONTROL

- Internal battery over-charge and dis-charge protection
- Automatic light activation at sunset



\*SUBJECT TO OUR TERMS & CONDITIONS, AND RETURNS POLICY

**Worldwide\***  
Shipping ✓

**Low Price\***  
Guarantee ✓

**Lifetime\***  
Tech Support ✓


**1 Year\***  
Product Warranty ✓

**No Hassle\***  
Returns ✓

5611 Halifax Avenue • Fort Myers • FL • 33912 • USA • Phone: 239-461-5522 • Fax: 239-337-7887

MONDAY - FRIDAY 8.00AM - 5.00PM (US EASTERN TIME)

www.solarilluminations.com • sales@solarilluminations.com



## SL29

### SL29 Solar 6W/15W (Supplied With 10' or 15' Pole)

This compact all-in-one area light is offered with a 6 or 15 Watt LED array along with your choice of a 10' (3m) or 15' (4.5m) pole. The lamp will automatically illuminate at sunset at 33% brightness and will switch to full power when motion is detected. The light will revert to "dim" mode until motion is detected again. The lamp is fitted with a solar panel mounted discretely to the top of the unit. The underside of the lamp is fitted with LED modules and a motion sensor.



#### LUMINAIRE

- At full power the 6W lamp emits 780 lm and the 15W emits 1950 lm
- 6000-6500K LED color temperature
- Aluminum and glass construction
- IP65 rating
- Dimensions of 6W lamp: 16" x 10" x 2" (42cm x 26cm x 5cm)
- Dimensions of 15W lamp: 27.5" x 14" x 2" (70cm x 36cm x 5cm)

#### SOLAR PANEL

- 6W model is supplied with a 9 Watt solar panel
- 15W model is supplied with a 25 Watt solar panel
- Glass covered solar panel is built in to the top of the lamp

#### BATTERY

- Lithium battery pack installed within unit
- Battery is replaceable

#### POLE

- 10' (3m), or 15' (4.5m) galvanized steel pole
- 10' and 15' pole available in matt black or gray
- 10' and 15' pole is fitted with a 10" x 10" base plate
- Pole is supplied with necessary anchor kit

#### CHARGE CONTROL

- Internal battery over-charge and dis-charge protection
- Automatic light activation at sunset

\*SUBJECT TO OUR TERMS & CONDITIONS, AND RETURNS POLICY

Worldwide\*  
Shipping ✓

Low Price\*  
Guarantee ✓

Lifetime\*  
Tech Support ✓

1 Year\*  
Product Warranty ✓

No Hassle\*  
Returns ✓

5611 Halifax Avenue • Fort Myers • FL • 33912 • USA • Phone: 239-461-5522 • Fax: 239-337-7887

MONDAY - FRIDAY 8.00AM - 5.00PM (US EASTERN TIME)

www.solarilluminations.com • sales@solarilluminations.com