



# BC13

## SOLAR BOLLARD LIGHT



Utilizes high-output LED technology.



IES lighting distribution data available.

The solar 'Nova' bollard light can be quickly and easily installed almost anywhere. Ideal for walkways, parking lots, public areas, sidewalks, etc. This LED bollard is made with an all aluminum body and a clear polycarbonate lamp shade. Light output is provided by twelve high intensity white colored LED's within the circular lens section. In a dark location, this fixture is capable of projecting light outwards and downwards several feet (360 degrees). Available in a choice of two sizes: small (33" tall), or large (41" tall).



\*SUBJECT TO OUR TERMS & CONDITIONS, AND RETURNS POLICY

**Worldwide\***  
Shipping ✓

**Lowest Price\***  
Guarantee ✓

**Lifetime\***  
Tech Support ✓


**24 Month\***  
Product Warranty ✓

**No Hassle\***  
Returns ✓

9120 Centerlinks Commerce Dr - Ste 3 • Fort Myers • FL • 33912 • USA • Phone: 239-461-5522 • Fax: 239-337-7887

**MONDAY - FRIDAY 8:00AM - 8:00PM (US EASTERN TIME)**

[www.solarilluminations.com](http://www.solarilluminations.com) • [sales@solarilluminations.com](mailto:sales@solarilluminations.com)



## BC13 SOLAR BOLLARD LIGHT



### PERFORMANCE

- Typically illuminates dusk to dawn (subject to location).
- Automatically turns on at dusk and off at dawn.
- All aluminum body, satin black powder coated finish.
- Other colors available via large quantity orders only (white, brown, rust, or green).
- Illumination pattern is 360 degrees with projection of light down towards the ground and outwards.
- The small bollard is approximately 33" (84 cm) high.
- The large bollard is approximately 41" (104 cm) high.
- Main body is approximately 6" (15 cm) diameter.
- The clear, polycarbonate lampshade section is approximately 7" (18 cm) diameter and 8" (20 cm) high.
- The top light / solar panel section of the bollard is approximately 9" (23 cm) diameter.
- The base flange of the bollard is approximately 8.5" (21.5 cm) diameter.

### LUMINAIRE

- Twelve super bright, high output white colored LED bulbs.
- 1.5W LED power.
- Light output is 200 Lumens
- 5,500k LED color temperature (daylight white)
- Light output is equal to about 20-25 watts of incandescent lighting.

### BATTERY

- 3.7V 2400mAh lithium battery is pre-installed.
- Battery is replaceable when needed.

### SOLAR PANEL

- High quality 2.5W solar panel.
- The solar panel is built into the top of the bollard fixture.



Worldwide\*  
Shipping ✓

Lowest Price\*  
Guarantee ✓

Lifetime\*  
Tech Support ✓

24 Month\*  
Product Warranty ✓

No Hassle\*  
Returns ✓


9120 Centerlinks Commerce Dr - Ste 3 • Fort Myers • FL • 33912 • USA • Phone: 239-461-5522 • Fax: 239-337-7887

MONDAY - FRIDAY 8:00AM - 8:00PM (US EASTERN TIME)

[www.solarilluminations.com](http://www.solarilluminations.com) • [sales@solarilluminations.com](mailto:sales@solarilluminations.com)

\*SUBJECT TO OUR TERMS & CONDITIONS, AND RETURNS POLICY





\*SUBJECT TO OUR TERMS & CONDITIONS, AND RETURNS POLICY

**Worldwide\***  
Shipping

**Lowest Price\***  
Guarantee

**Lifetime\***  
Tech Support

**24 Month\***  
Product Warranty

**No Hassle\***  
Returns

9120 Centerlinks Commerce Dr - Ste 3 • Fort Myers • FL • 33912 • USA • Phone: 239-461-5522 • Fax: 239-337-7887

**MONDAY - FRIDAY 8:00AM - 8:00PM (US EASTERN TIME)**

[www.solarilluminations.com](http://www.solarilluminations.com) • [sales@solarilluminations.com](mailto:sales@solarilluminations.com)